



Last changed: 2005-05-20

1. IDENTIFICATION OF SUBSTANCE AND COMPANY

TRADE NAME LHMT 68
APPLICATION SKF chain oil

Producer/importer SKF Maintenance Products
Address Postbus 1008
Postal code NL-3430 BA Nieuwegein
Country The Netherlands
Telephone +31 30 6307200
Fax +31 30 6307205
Contact pers. Ebbe Malmstedt, ebbe.malmstedt@skf.com

2. COMPOSITION/INFORMATION ON INGREDIENTS **CHEMICAL CHARACTERIZATION****Description:** mineral oil**Dangerous components:** Void**Additional information:** For the wording of the listed risk phrases refer to section 16.**3. HAZARDS IDENTIFICATION** **HAZARD DESCRIPTION:**

Not applicable.

INFORMATION CONCERNING PARTICULAR HAZARDS FOR HUMAN AND ENVIRONMENT:

The product does not have to be labelled due to the calculation procedure of the "General Classification guideline for preparations of the EU" in the latest valid version.

CLASSIFICATION SYSTEM:

The classification is according to the latest editions of the EU-lists, and extended by company and literature data.

4. FIRST AID MEASURES **AFTER INHALATION:**

Supply fresh air; consult doctor in case of complaints.

AFTER SKIN CONTACT:

Wash off with soap and plenty of water.

AFTER EYE CONTACT:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

AFTER SWALLOWING:

If symptoms persist consult doctor.

5. FIRE-FIGHTING MEASURES **SUITABLE EXTINGUISHING AGENTS:**

Water haze

Foam

Fire-extinguishing powder

Carbon dioxide

FOR SAFETY REASONS UNSUITABLE EXTINGUISHING AGENTS:

Water with full jet

SPECIAL HAZARDS CAUSED BY THE SUBSTANCE, ITS PRODUCTS OF COMBUSTION OR RESULTING GASES:

In case of fire, the following can be released:

Carbon monoxide (CO)

Hydrocarbons

PROTECTIVE EQUIPMENT:

Do not inhale explosion gases or combustion gases.

Standard procedure for chemical fires.

ADDITIONAL INFORMATION

Cool endangered receptacles with water spray.

Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.



Last changed: 2005-05-20

6. ACCIDENTAL RELEASE MEASURES **PERSON-RELATED SAFETY PRECAUTIONS:**

Particular danger of slipping on leaked/spilled product.

MEASURES FOR ENVIRONMENTAL PROTECTION:

Do not allow to enter sewers/ surface or ground water.

MEASURES FOR CLEANING/COLLECTING:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose of the material collected according to regulations.

7. HANDLING AND STORAGE **HANDLING:****Information for safe handling:** Prevent formation of aerosols.**Information about fire - and explosion protection:** No special measures required.**STORAGE:****Requirements to be met by storerooms and receptacles:** Store in cool, dry conditions in well sealed receptacles.**Information about storage in one common storage facility:** Store away from foodstuffs. Store away from oxidizing agents.**Further information about storage conditions:** None.**8. EXPOSURE CONTROL/PERSONAL PROTECTION** **ADDITIONAL INFORMATION ABOUT DESIGN OF TECHNICAL FACILITIES:**

No further data; see item 7.

INGREDIENTS WITH LIMIT VALUES THAT REQUIRE MONITORING AT THE WORKPLACE:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

Additional information: The lists valid during the making were used as basis.**PERSONAL PROTECTIVE EQUIPMENT:****General protective and hygienic measures:**

Do not inhale gases / fumes / aerosols.

Immediately remove all soiled and contaminated clothing

Avoid close or long term contact with the skin.

Be sure to clean skin thoroughly after work and before breaks.

Protection of hands: Preventive skin protection by use of skin-protecting agents is recommended.**Eye protection:** Goggles recommended during refilling**9. PHYSICAL AND CHEMICAL PROPERTIES** **Form:** Fluid**Colour:** Yellow**Odour:** Product specific**Pour point** < -15°C (DIN ISO 3016)**Flash point:** > 200°C (DIN ISO 2592)**Danger of explosion:** Product does not present an explosion hazard.**Density at 20°C:** ~ 0.85 g/cm³ (DIN 51757)**Solubility in / Miscibility with water:** Insoluble.**Kinematic viscosity at 40°C:** ~ 68 mm²/s (DIN 51562)**10. STABILITY AND REACTIVITY** **Thermal decomposition / conditions to be avoided:** No decomposition if used and stored according to specifications.**Materials to be avoided:** oxidizing agents**Dangerous reactions** No dangerous reactions known.**Dangerous decomposition products:** none under normal use**11. TOXICOLOGICAL INFORMATION** **ADDITIONAL TOXICOLOGICAL INFORMATION:**

Prolonged skin contact may cause skin irritation and/or dermatitis.



Last changed: 2005-05-20

12. ECOLOGICAL INFORMATION

ECOTOXICAL EFFECTS:

Behaviour in sewage processing plants: The product can be mechanically separated.

General notes: Do not allow product to reach ground water, water course or sewage system.

13. DISPOSAL CONSIDERATIONS

PRODUCT:

Recommendation: Can be reused after reprocessing.

Waste disposal key: For this product no waste disposal key according the European Waste Catalogue (EWC) can be determined, as only the purpose of application defined by the user enables an allocation. The waste code number has to be determined in accordance with the local waste disposer.

UNCLEANED PACKAGING:

Recommendation:

Empty contaminated packagings thoroughly. They may be recycled after thorough and proper cleaning.

14. TRANSPORT INFORMATION

· Land transport ADR/RID (cross-border)
· ADR/RID class: -

· Maritime transport IMDG:
· IMDG Class: -

· Air transport ICAO-TI and IATA-DGR:
· ICAO/IATA Class: -

TRANSPORT/ADDITIONAL INFORMATION:

Not classified as dangerous according to the above specifications.

15. REGULATORY INFORMATION

LABELLING ACCORDING TO EU GUIDELINES:

The product is not subject to classification according to the calculation methods of the "General Classification Guideline for Preparations of the EU" as issued in the latest valid version.

16. OTHER INFORMATION

VENDOR NOTES

The information on this data sheet represents our current data and is accurate to the best of our knowledge as to the proper handling of this product under normal conditions and in accordance with the application specified on the packaging and/or technical guidance literature. Any other use of the product which involves using the product in combination with any other product or any other process is the responsibility of the user.

TRAINING ADVICE

The user must be instructed in the proper work procedure and be familiar with the contents of these instructions.